



## PRODUCT DATA SHEET

**Page** 1 / 2

## Physiological Saline [Sodium Chloride 0.9%] Endotoxin-free (sterile) [For Nano-formulated Drug Analysis]

**Cat. No.:** IAX-900-003DC **Lot. No.:** 

MSDS	Available on request
	Once the vial is opened, or if aliquoted into sterile vials under sterile conditions, the product remain stable for an additional 12 months at 2-8°C.
Stability	In its unopened original vial, the product is stable for at least 24 months when stored at 2-8°C.
	Do not freeze.
	Upon receipt, store product at 2-8°C.
Storage	2-8°C
Shipping	Ambient
Handling	Keep sterile. Ready-to-use, sterile solution. Avoid plastic containers, or any source of MNP.
	IC and D. Lander and Lander A. and Lander and CAMAID.
Composition	Sodium Chloride: 0.9% in ddWater
pH Value	5.5-6.5
Sterility	<ul> <li>No growth in Soybean Casein Digest Broth (TSB) at 20-25°C after 14 days.</li> </ul>
	<ul> <li>No growth in Thioglycolate medium at 30-35°C after 14 days.</li> </ul>
	Passed according to specification:
	Filter method: according to Ph. Eur. 9.
Endotoxin-free	Passed according to specification: Endotoxin-free: <0.00002 [EU/mg]/<0.02 [EU/ml].
	Bacterial Endotoxin Test (kinetic turbidimetric LAL method) according to Ph. Eur. 9.
Formulation	in sterile filtered double-distilled water (ddWater), without any additives, particle-tested.
	10ml (L010), Physiological Saline [Sodium Chloride 0.9%]

**Document No.:** IAX-900-003DC | **Version:** 1.13 | **Issue Date:** 24/02/2025





## **PRODUCT DATA SHEET**

Page 2/2

## Physiological Saline [Sodium Chloride 0.9%] Endotoxin-free (sterile) [For Nano-formulated Drug Analysis]

**Cat. No.:** IAX-900-003DC **Lot. No.:** 

IAX-900-001	PBS Endotoxin-free (sterile)
IAX-900-001DC	PBS Endotoxin-free (sterile) [For Nano-formulated Drug Analysis]
IAX-900-002	ddWater Endotoxin-free (sterile)
IAX-900-002DC	ddWater Endotoxin-free (sterile) [For Nano-formulated Drug Analysis]
IAX-900-003	Physiological Saline [Sodium Chloride 0.9% Endotoxin-free] (sterile)
IAX-900-003DC	Physiological Saline [Sodium Chloride 0.9% Endotoxin-free] (sterile) [For Nano-formulated Drug Analysis]
IAX-900-004	PBS with EDTA Endotoxin-free (sterile)
IAX-900-005	TRIS with EDTA [TE Buffer] (100x) Endotoxin-free (sterile)
IAX-900-006	EDTA (400mM) Endotoxin-free (sterile)
IAX-900-007	HEPES Buffer (500mM) Endotoxin-free (sterile)
IAX-900-008	DNA Loading Buffer with TRIS and EDTA (6x) (Blue)
IAX-900-009	HEPES Buffer (50mM) with NaCl [Sodium Chloride] (150mM) Endotoxin-free (sterile)
IAX-900-010	NaCl [Sodium Chloride] (1.5M) Endotoxin-free (sterile)
IAX-900-011	TRIS Buffer (1.5M) Endotoxin-free (sterile)
IAX-900-012	TRIS Buffer (30mM) with NaCl [Sodium Chloride] (150mM) Endotoxin-free (sterile)
IAX-900-013	PBS with Magnesium and Calcium Endotoxin-free (sterile)
IAX-900-014	ddWater with 0.9% Benzyl Alcohol [Bacteriostatic Water] Endotoxin-free (sterile)

**Document No.:** IAX-900-003DC | **Version:** 1.13 | **Issue Date:** 24/02/2025